



FIG. 1

FIG. 2




3/12

FIG. 3



4/12

FIG. 4



5/12


FIG. 5

ML
↓

TELEPHONE NUMBER	09012345678		
MAIL ADDRESS	abc@mpn.co.jp		
MAIL ID	SENDER (From)	TITLE (Subject)	SENDING TIME (Date)
0001	def@xyz.co.jp	YESTERDAY' S MATTER	2002/10/1
0002	ghi@opq.co.jp	NEWS	2002/10/2
0003	ghi@opq.co.jp	NEWS (RESEND)	2002/10/3
0004
0005
0006


6/12

FIG. 6



7/12

FIG. 7




A rectangular screen titled "MAIL CHECK MENU". It contains two radio button options. The first option is enclosed in a dashed rectangular box and is pointed to by a label "m1" with a dashed line. The second option is below the first.

MAIL CHECK MENU

☐ SELECT AND RECEIVE AN E-MAIL
(MULTIPLE SELECTION ADMITTED)

☐ SELECT AND DELETE AN E-MAIL
(MULTIPLE SELECTION ADMITTED)

FIG. 8



A rectangular screen titled "E-MAIL SELECTIVE RECEPTION". It lists three items, each with a checkbox and associated text. The first two items are pointed to by labels "CB1" and "CB2" respectively. The third item is pointed to by "CB3". At the bottom are two buttons: "NEXT PAGE" and "RECEIVE". A label "B1" is at the bottom center with a line pointing to the "RECEIVE" button.

E-MAIL SELECTIVE RECEPTION

CB1 ☒ YESTERDAY'S MATTER
def@xyz.co.jp
2002/10/1

CB2 ☐ NEWS
ghi@opq.ne.jp
2002/10/2

CB3 ☒ NEWS (RESEND)
ghi@opq.ne.jp
2002/10/3

NEXT PAGE RECEIVE

B1

8/12

FIG. 9

HTTP/1.1 200 OK CRLF
X-IMTMAIL: WEB CRLF
CRLF

<HEREAFTER, REQUEST ACCEPTING COMPLETION PAGE>
(<META HTTP-EQUIV="Refresh"URL=mpn.co.jp/imt.cgi?">INCLUDE)

FIG. 10

SELECTIVE RECEPTION ACCEPTED

FIG. 11

GET HTTP://mpn.co.jp/imt.cgi? HTTP/1.1 CRLF
User-Agent: XXXXXXXX CRLF
X-EID: 0000 CRLF
CRLF

9/12

FIG. 12

```
HTTP/1.1 200 OK CRLF
X-IMTMAIL: WEB CRLF
X-D: 200210051000 CRLF
X-EID: 0001/0003 CRLF
X-S: YESTERDAY'S MATTER CRLF
X-F: abc@mpn.co.jp CRLF
MIME-Version: 1.0 CRLF
Content-Type: multipart/mixed, boundary="mimeboundarymarker"
CRLF
Content-Length: XXXX CRLF
CRLF
<HEREAFTER, THE BODY OF AN E-MAIL (MAIL ID:0001)>
```

FIG. 13

```
GET HTTP://mpn.co.jp/imt.cgi? HTTP/1.1 CRLF
User-Agent: XXXXXXXX CRLF
X-EID: 0001/0003 CRLF
CRLF
```

FIG. 14

```
HTTP/1.1 200 OK CRLF
X-IMTMAIL: WEB CRLF
X-D: 200210051001 CRLF
X-EID: 0003/EIEOF CRLF
X-S: NEWS (RESEND) CRLF
X-F: abc@mpn.co.jp CRLF
MIME-Version: 1.0 CRLF
Content-Type: multipart/mixed, boundary="mimeboundarymarker"
CRLF
Content-Length: XXXX CRLF
CRLF
<HEREAFTER, THE BODY OF AN E-MAIL (MAIL ID:0003)>
```

10/12

FIG. 15

GET HTTP://mpn.co.jp/imt.cgi? HTTP/1.1 CRLF
User-Agent: XXXXXX CRLF
X-EID: 0003/EIEOF CRLF
CRLF

FIG. 16

HTTP/1.1 251 Fin CRLF
X-EID: 0000/0000 CRLF
CRLF

FIG. 17


MAIL RECEIVED.
DISPLAY THE MAIL NOW?

YES

NO

11/12

FIG. 18



12/12

FIG. 19

UNRECEIVED MAIL LIST

PM1 ☐ **RECEIVE** ☐ YESTERDAY'S MATTER
def@xyz.co.jp
2002/10/1

PM2 ☐ **SUSPEND** ☐ NEWS
ghi@opq.ne.jp
2002/10/2

PM3 ☐ **DELETE** ☐ NEWS (RESEND)
RECEIVE ghi@opq.ne.jp
DELETE 2002/10/3
SUSPEND

NEXT PAGE **OK**

FIG. 20

UNRECEIVED MAIL LIST

☒ **RECEIVE** ☐ NEWS
ghi@opq.ne.jp
2002/10/2

NEXT PAGE **OK**